intimus 5280 EPSH

Hydraulic guillotine with 520 mm cutting width and 80 mm cutting height

Professional hydraulic electric guillotine with optional side tables for a more efficient work flow. The guillotine is able to cut easily paper stacks of up to 800 sheets. Suitable for high-volume use in copy shops, digital printing houses or book binderies.

CE

Convenient and precise operation
The touch pad allows to control the electrical backgauge or to select easily preprogrammed settings for the most common formats (A3, A4, A5, A6). Up to 99 individual programs with 10 steps in each program can be stored on the memory. Knife fine depth adjustments can either be done via the touch pad or manually from the outside.

The LED optical cutting line guarantees easy alignment of cutting marks for precise cuts. The electronic hand wheel facilitates manual backgauge positioning, accurate to the millimeter at variable speed.

Safety is guaranteed
The safety light beam in the working area ensures the highest level of safety, automatic shut-off in case of access. Two-hand operation: executing a cut is only possible by pushing two buttons at the same time. Safe and easy Knife change with a Knife changing device.

intimus 5280 EPSH
Color touch pad

3 cutting modes available

1. Standard mode: key in a value and push start, the backgauge automatically moves to the set position.

2. Repeat cut mode (**M**): the paper stack is cut in even parts.

3. Program mode (**P**): program each step for the cuts to be made, up to 10 steps. At the end of the program the backgauge moves back to the start position.

Accessories

Article No.	Description	Quantity
INT-GU-05280ML	Side tables for intimus 5280 EPSH	
INT-GU-CON-30011	Knife for guillotine intimus 5280 EPSH	1 unit
INT-GU-CON-40012	Cutting sticks for guillotine intimus 5280 EPSH	6 units

intimus 5280 EPSH
Technical specification overview

Article No.	INT-GU-5280EPSH
Cutting depth	580 mm
Cutting width	520 mm
Cutting height	80 mm
Narrow cut	15 mm
Cutting capacity	800 sheets
Optical cutting line	Yes
IR safety curtain	Yes
Foot clamp	Yes
Noise level	65 db(A)
Weight	330 kg
Dimensions (W x D x H)	946 x 1300 x 1396 mm
Power consumption	4000 W
Power supply	230V / 50 Hz